



**The trend-setting
trade journal for
your success**

ISSUE 1/2012

FOR RAPIDWORLD

Advertising closing date: 19.01.2012

ISSUE 2/2012

FOR RAPID TECH

Advertising closing date: 03.04.2012

ISSUE 3/2012

FOR IPA-CONFERENCE

Advertising closing date: 24.08.2012

ISSUE 4/2012

FOR EUROMOLD

Advertising closing date: 23.10.2012





rapidX

The magazine for additive manufacturing and product development

Our magazine **rapidX** deals with Rapid Prototyping RP. This includes Rapid Tooling RT and Rapid Manufacturing RM. In view of their broad range of application the industry refers to generative manufacturing processes. RP, RT, RM allow components, parts and products to be developed, designed and produced both economically and rapidly to suit specific customer requirements.

In conjunction with other technologies such as reverse engineering (reverse development, meaning reconstruction and therefore reproduction) the entire process chain comprising of RP, RT and RM within the product development is also described as rapid product development RPD.





The magazine covers the individual sectors of these main subject areas:

- RP manufactures sample parts and single components based on design data (CAD) by means of tool-free manufacturing and transforms them directly and rapidly into workpieces or end-products using the layer construction methods (by laser printer or laser machine).
- RT manufactures complex parts of form tools by layer construction methods from CAD data. In this way their functionality can be checked by means of production-based / production-identical components (design and function) permitting the immediate and economical implementation of low-volume manufacturing.
- RM manufactures components, end-products and series-production rapidly and flexibly by layer construction methods from CAD data. For this purpose it uses materials such as glass, metal, ceramics, plastics and new materials. RM simulates the product at the virtual stage and can analyse and optimize it before manufacture. The broad selection of materials facilitates less waste and more effective material use and is therefore of both ecological and economical interest.

The new trade magazine **rapidX** acts as high-quality technology magazine with a generous, modern layout covering all these aspects including relevant contributions from research, development and manufacturing and reaches a competent and interested audience.

rapidX specifically targets:

Researchers and developers, the production managers from the likes of the automotive, medical engineering, aerospace, electrical and electronic engineering, machine and tool manufacture, model and prototype construction industries as well as from the consumer goods and industry design sectors.



Technical data

Print run:	7,000 copies
Magazine format:	DIN A4, 210 x 297 mm (width x height) Type area: 175 x 250 mm (width x height) 4 columns each 41 mm wide
Frequency of publication:	four times a year

Issue	Trade fair or exhibition	Advertising deadline	Publication date
1/2012	RapidWorld	19.01.2012	08.02.2012
2/2012	Rapid Tech	03.04.2012	25.04.2012
3/2012	IPA-Conference	24.08.2012	13.09.2012
4/2012	EuroMold	23.10.2012	13.11.2012

Advertising formats and prices (in Euro)

Format	Width x Height in mm	4c
2nd/4th Cover page	210 x 297	3,800.--
1/1 page	175 x 250	3,500.--
Junior page	122 x 175	2,200.--
1/2 page	85 x 250 175 x 122	1,800.--
1/3 page	55 x 250 175 x 80	1,550.--
1/4 page	85 x 122 41 x 250 175 x 58	1,100.--
1/8 page	85 x 58 175 x 28	850.--

Bound insert:

2 page	€ 3,600.--
4 page	€ 5,350.--

Insert:

price per thousand	€ 305.--
(up to 25g weight)	
Maximum format:	
197 x 290 mm (width x height)	

Your contacts:

Editorial

Dipl.-Ing. (FH) Richard Fachtan
Tel.: +49 89 99830-611
Fax: +49 89 99830-623
fachtan@hanser.de

Advertisement Manager

Dietmar von der Au
Tel.: +49 89 99830-214
Fax: +49 89 99830-623
au@hanser.de

Advertisement planning

Annette Anthony
Tel.: +49 89 99830-218
Fax: +49 89 99830-623
anthony@hanser.de